

Conditions of Use

1) Disclaimer, Attribution and Copyright acknowledgement

- a) Any publication of Bureau tide predictions must acknowledge copyright in the Material in the Commonwealth of Australia represented by the Bureau of Meteorology and must include the following disclaimer:

“The Bureau of Meteorology gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights.

The Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”

- b) Where a user creates new products from the Bureau tide predictions the Bureau should be acknowledged and a disclaimer displayed as follows:

“This product is based on Bureau of Meteorology information that has subsequently been modified. The Bureau does not necessarily support or endorse, or have any connection with, the product.

In respect of that part of the information which is sourced from the Bureau, and to the maximum extent permitted by law:

(i) The Bureau makes no representation and gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights; and

(ii) the Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”

- 2) The disclaimers required will be displayed with the product or where this is not possible a clear and obvious link to these as part of the copyright or attribution notice will be required to ensure these terms are clearly and adequately brought to the attention of the user.

YAMPI SOUND (KOOLAN ISLAND) – WESTERN AUSTRALIA

2026

LAT 16° 08' S LONG 123° 44' E

Times and Heights of High and Low Waters

Time Zone -0800

JANUARY				FEBRUARY				MARCH				APRIL				
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	
1 0308 2.95 0921 7.31 TH 1520 3.65 2135 8.42		16 0428 3.26 1046 7.15 FR 1639 3.92 2241 7.97		1 0525 2.09 1134 8.32 SU 1738 2.75 2339 9.28		16 0537 2.27 1144 8.39 MO 1745 2.79 2343 9.09		1 0442 3.08 1056 7.71 SU 1657 3.37 2258 8.57		16 0445 3.34 1056 7.69 MO 1656 3.55 2251 8.28		1 0527 1.66 1127 9.72 WE 1744 1.50 2340 9.80		16 0454 2.18 1055 9.42 TH 1714 1.78 2312 9.52		
2 0418 2.34 1029 7.84 FR 1630 3.20 2236 8.95		17 0512 2.62 1124 7.78 SA 1720 3.34 2320 8.56		2 0606 1.42 1211 9.06 MO 1818 2.05 ○		17 0603 1.69 1206 9.03 TU 1813 2.17 ●		2 0522 2.10 1127 8.73 MO 1735 2.38 2333 9.42		17 0510 2.49 1115 8.56 TU 1721 2.66 2317 9.10		2 0555 1.35 1152 10.15 TH 1812 1.12 ○		17 0524 1.68 1123 10.08 FR 1745 1.12 ● 2344 9.94		
3 0515 1.76 1123 8.39 SA 1726 2.71 ○ 2329 9.44		18 0546 2.09 1155 8.30 SU 1754 2.85 2353 9.05		3 0016 9.85 0642 0.99 TU 1243 9.61 1854 1.56		18 0009 9.65 0630 1.24 WE 1230 9.57 1841 1.65		3 0555 1.41 1155 9.50 TU 1808 1.66 ○		18 0535 1.82 1135 9.33 WE 1748 1.89 2344 9.74		3 0007 10.02 0621 1.23 FR 1217 10.40 1838 0.92		18 0555 1.36 1153 10.56 SA 1817 0.70		
4 0602 1.33 1209 8.86 SU 1814 2.27		19 0617 1.69 1222 8.72 MO 1825 2.45 ●		4 0050 10.18 0714 0.78 WE 1314 9.97 1927 1.27		19 0036 10.06 0657 0.93 TH 1256 10.03 1910 1.24		4 0003 9.97 0624 1.01 WE 1222 10.01 1838 1.19		19 0601 1.31 1200 9.99 TH 1816 1.26 ●		4 0033 10.06 0645 1.24 SA 1243 10.47 1904 0.89		19 0015 10.12 0626 1.23 SU 1224 10.78 1851 0.54		
5 0014 9.80 0645 1.06 MO 1249 9.21 1857 1.95		20 0022 9.43 0646 1.41 TU 1249 9.07 1855 2.13		5 0122 10.26 0744 0.77 TH 1344 10.14 1959 1.18		20 0105 10.29 0724 0.78 FR 1324 10.33 1940 0.99		5 0032 10.26 0651 0.83 TH 1248 10.37 1906 0.93		20 0013 10.18 0629 0.98 FR 1227 10.49 1845 0.79		5 0100 9.94 0709 1.38 SU 1307 10.36 1930 1.02		20 0049 10.05 0658 1.31 MO 1257 10.72 1924 0.68		
6 0056 9.97 0725 0.98 TU 1328 9.42 1937 1.79		21 0051 9.69 0715 1.21 WE 1316 9.36 1925 1.89		6 0152 10.12 0811 0.92 FR 1412 10.13 2028 1.28		21 0135 10.30 0751 0.80 SA 1351 10.44 2009 0.95		6 0100 10.34 0716 0.82 FR 1315 10.51 1933 0.85		21 0042 10.41 0656 0.83 SA 1255 10.78 1916 0.56		6 0124 9.67 0731 1.64 MO 1330 10.09 1952 1.32		21 0123 9.74 0729 1.60 TU 1330 10.38 1958 1.12		
7 0134 9.94 0800 1.07 WE 1404 9.49 2015 1.81		22 0121 9.84 0744 1.12 TH 1345 9.58 1956 1.73		7 0221 9.80 0836 1.24 SA 1438 9.92 2055 1.56		22 0204 10.07 0816 1.03 SU 1418 10.33 2037 1.13		7 0127 10.21 0740 0.96 SA 1339 10.46 1959 0.96		22 0112 10.38 0724 0.89 SU 1323 10.81 1945 0.60		7 0147 9.28 0753 2.00 TU 1352 9.69 2015 1.75		22 0156 9.21 0800 2.09 WE 1403 9.77 2031 1.80		
8 0211 9.71 0834 1.31 TH 1438 9.42 2051 1.98		23 0152 9.83 0812 1.15 FR 1415 9.68 2028 1.70		8 0247 9.31 0900 1.70 SU 1504 9.52 2122 2.02		23 0232 9.63 0842 1.44 MO 1445 10.00 2106 1.54		8 0152 9.92 0802 1.25 SU 1402 10.22 2022 1.24		23 0142 10.09 0750 1.17 MO 1351 10.57 2015 0.93		8 0210 8.80 0814 2.46 WE 1415 9.17 2037 2.31		23 0230 8.53 0833 2.76 TH 1439 8.96 2111 2.65		
9 0246 9.31 0906 1.68 FR 1512 9.20 2127 2.29		24 0223 9.65 0840 1.33 SA 1445 9.64 2100 1.80		9 0315 8.68 0922 2.31 MO 1529 8.95 ● 2149 2.64		24 0300 8.99 0906 2.02 TU 1514 9.44 ● 2137 2.20		9 0215 9.48 0823 1.67 MO 1425 9.81 2045 1.69		24 0211 9.56 0816 1.65 TU 1418 10.07 2044 1.52		9 0232 8.22 0834 3.04 TH 1438 8.53 2102 3.00		24 0312 7.74 0915 3.59 FR 1525 7.99 ● 2204 3.59		
10 0321 8.78 0938 2.17 SA 1546 8.84 ● 2204 2.72		25 0255 9.29 0909 1.66 SU 1515 9.45 2133 2.06		10 0341 7.90 0945 3.06 TU 1556 8.20 2220 3.42		25 0331 8.16 0934 2.82 WE 1545 8.63 2216 3.13		10 0238 8.90 0843 2.23 TU 1446 9.23 2107 2.31		25 0239 8.85 0842 2.32 WE 1447 9.34 2115 2.36		10 0258 7.52 0857 3.77 FR 1503 7.75 ● 2134 3.84		25 0415 6.92 1024 4.48 SA 1648 7.02 2348 4.33		
11 0357 8.13 1011 2.78 SU 1623 8.35 2246 3.26		26 0329 8.75 0940 2.16 MO 1549 9.08 ● 2212 2.51		11 0411 6.99 1008 3.94 WE 1627 7.32 2307 4.30		26 0411 7.12 1007 3.86 TH 1631 7.54 2333 4.21		11 0300 8.20 0901 2.92 WE 1507 8.49 ● 2130 3.11		26 0310 7.96 0910 3.19 TH 1521 8.35 ● 2155 3.41		11 0331 6.69 0924 4.63 SA 1540 6.83 2243 4.73		26 0643 6.55 1319 4.77 SU 1939 6.84		
12 0440 7.38 1048 3.49 MO 1709 7.74 2344 3.82		27 0408 8.04 1015 2.84 TU 1630 8.50 2303 3.14		12 0458 6.01 1038 4.90 TH 1740 6.40		27 0545 5.98 1140 5.03 FR 1928 6.61		12 0322 7.35 0918 3.74 TH 1529 7.61 2158 4.05		27 0351 6.91 0947 4.28 FR 1612 7.16 2325 4.53		12 0518 5.86 1138 5.52 SU 1951 6.23		27 0223 4.05 0851 7.29 MO 1508 3.88 2115 7.59		
13 0541 6.63 1143 4.24 TU 1819 7.15		28 0501 7.16 1104 3.69 WE 1731 7.76		13 0243 4.75 1024 5.88 FR 1538 5.23 2146 6.63		28 0321 4.23 1010 6.49 SA 1557 4.57 2207 7.46		13 0346 6.39 0929 4.68 FR 1551 6.63 2310 5.05		28 0628 5.94 1301 5.28 SA 2008 6.55		13 0249 4.60 0930 6.65 MO 1531 4.64 2128 7.12		28 0331 3.30 0945 8.21 TU 1600 2.93 2202 8.35		
14 0125 4.17 0740 6.19 WE 1339 4.72 2015 6.97		29 0032 3.79 0647 6.37 TH 1247 4.50 1935 7.23		14 0433 3.90 1058 6.81 SA 1645 4.35 2244 7.54		14 0509 3.02 1121 7.65 SU 1717 3.51 2315 8.38		14 1206 5.78 1559 5.57 SA 2130 6.28		29 0321 4.19 0953 6.93 SU 1553 4.20 2158 7.62		14 0348 3.69 1002 7.67 TU 1611 3.58 2208 8.07		29 0415 2.65 1020 8.97 WE 1638 2.19 2238 8.91		
15 0319 3.90 0942 6.51 TH 1534 4.49 2145 7.36		30 0252 3.75 0920 6.54 FR 1517 4.42 2138 7.64					15 0417 4.31 1042 6.72 SU 1631 4.53 2223 7.32		30 0419 3.09 1030 8.11 MO 1638 3.02 2239 8.64		15 0423 2.85 1029 8.60 WE 1642 2.61 2241 8.88		30 0450 2.23 1050 9.50 TH 1712 1.68 2310 9.27			
		31 0430 2.96 1048 7.43 SA 1645 3.60 2251 8.49						31 0456 2.22 1100 9.05 TU 1713 2.11 2311 9.36								

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols ● New Moon ○ First Quarter ○ Full Moon ● Last Quarter

YAMPI SOUND (KOOLAN ISLAND) – WESTERN AUSTRALIA

LAT 16° 08' S LONG 123° 44' E

2026

Times and Heights of High and Low Waters

Time Zone -0800

MAY				JUNE				JULY				AUGUST							
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m				
1	0520	1.98	16	0444	2.26	1	0556	2.45	16	0549	2.29	1	0018	8.49	16	0030	9.05		
	1118	9.84		1045	9.79		1154	9.42		1151	9.81		0621	2.58		0639	1.92		
FR	1742	1.37	SA	1714	1.29	MO	1821	1.61	TU	1826	1.18	WE	1219	9.12	TH	1238	9.85		
	2339	9.45		2315	9.33								1845	1.73		1907	0.99		
2	0549	1.87	17	0522	1.96	2	0022	8.82	17	0030	9.02	2	0048	8.64	17	0110	9.40		
	1145	10.02		1123	10.19		0627	2.43		0635	2.11		0652	2.45		0720	1.60		
SA	1810	1.21	SU	1753	0.94	TU	1224	9.40	WE	1237	9.89	TH	1249	9.21	FR	1318	9.97		
○			●	2354	9.51		1851	1.67		1910	1.16		1915	1.69		1945	0.94		
3	0008	9.50	18	0600	1.80	3	0052	8.74	18	0114	9.10	3	0116	8.74	18	0146	9.60		
	0616	1.86		1200	10.37		0656	2.49		0721	2.05		0722	2.37		0800	1.48		
SU	1213	10.04	MO	1832	0.84	WE	1254	9.29	TH	1322	9.79	FR	1319	9.24	SA	1357	9.85		
	1838	1.20					1920	1.82		1953	1.31		1944	1.69		2019	1.08		
4	0036	9.40	19	0033	9.48	4	0121	8.62	19	0157	9.06	4	0145	8.82	19	0221	9.61		
	0643	1.95		0639	1.82		0724	2.60		0805	2.12		0752	2.34		0836	1.55		
MO	1240	9.92	TU	1240	10.30	TH	1322	9.12	FR	1406	9.51	SA	1349	9.18	SU	1432	9.52		
	1905	1.35		1912	1.00		1949	2.01		2034	1.60		2013	1.75		2052	1.39		
5	0103	9.19	20	0113	9.28	5	0149	8.48	20	0239	8.93	5	0215	8.85	20	0255	9.45		
	0708	2.14		0718	2.01		0753	2.77		0850	2.32		0825	2.37		0912	1.80		
TU	1306	9.68	WE	1320	9.98	FR	1353	8.90	SA	1450	9.09	SU	1421	9.02	MO	1507	9.03		
	1930	1.61		1952	1.38		2019	2.24		2115	1.99		2043	1.89		2124	1.84		
6	0129	8.90	21	0154	8.92	6	0221	8.31	21	0322	8.71	6	0247	8.81	21	0329	9.11		
	0732	2.41		0800	2.36		0826	2.99		0935	2.62		0859	2.46		0948	2.21		
WE	1330	9.36	TH	1402	9.46	SA	1427	8.61	SU	1535	8.57	MO	1456	8.75	TU	1543	8.40		
	1956	1.96		2034	1.93		2053	2.52		2158	2.45		2115	2.13	●	2156	2.42		
7	0153	8.55	22	0238	8.47	7	0258	8.10	22	0407	8.42	7	0321	8.69	22	0403	8.61		
	0757	2.75		0844	2.85		0904	3.28		1025	2.99		0937	2.64		1027	2.76		
TH	1357	8.96	FR	1448	8.80	SU	1506	8.22	MO	1624	7.99	TU	1534	8.36	WE	1622	7.66		
	2022	2.39		2119	2.56		2132	2.87	●	2244	2.96		2151	2.48		2230	3.13		
8	0221	8.15	23	0328	7.99	8	0342	7.86	23	0458	8.08	8	0400	8.48	23	0444	7.96		
	0823	3.18		0936	3.40		0954	3.59		1124	3.34		1021	2.88		1115	3.40		
FR	1426	8.47	SA	1543	8.08	MO	1556	7.77	TU	1723	7.42	WE	1619	7.87	TH	1713	6.87		
	2053	2.91	●	2215	3.18	●	2222	3.25	●	2340	3.47	●	2233	2.94	●	2315	3.92		
9	0254	7.67	24	0430	7.57	9	0438	7.63	24	0600	7.75	9	0447	8.17	24	0541	7.24		
	0857	3.73		1045	3.89		1059	3.83		1238	3.58		1118	3.18		1236	3.96		
SA	1502	7.86	SU	1655	7.46	TU	1703	7.36	WE	1841	7.00	TH	1720	7.31	FR	1847	6.22		
	2134	3.51		2327	3.67		2327	3.58					2330	3.47					
10	0342	7.12	25	0552	7.35	10	0550	7.54	25	0053	3.87	10	0552	7.83	25	0049	4.59		
	0946	4.35		1223	4.05		1224	3.83		0718	7.56		1240	3.39		0733	6.79		
SU	1557	7.18	MO	1830	7.14	WE	1831	7.16	TH	1402	3.55	FR	1850	6.89	SA	1442	3.98		
●	2242	4.10								2011	6.92					2109	6.30		
11	0510	6.67	26	0100	3.83	11	0048	3.73	26	0217	3.98	11	0055	3.90	26	0311	4.54		
	1131	4.81		0727	7.52		0715	7.71		0836	7.64		0724	7.66		0925	7.04		
MO	1754	6.70	TU	1400	3.72	TH	1351	3.45	FR	1516	3.24	SA	1416	3.27	SU	1609	3.42		
				2005	7.31		2001	7.33		2127	7.17		2034	6.93		2231	6.94		
12	0044	4.31	27	0222	3.62	12	0208	3.58	27	0331	3.79	12	0235	3.91	27	0428	3.95		
	0730	6.88		0839	7.97		0828	8.14		0939	7.93		0856	7.91		1030	7.67		
TU	1353	4.44	WE	1508	3.15	FR	1501	2.85	SA	1615	2.81	SU	1542	2.78	MO	1659	2.77		
	2003	7.02		2112	7.71		2111	7.74		2225	7.57		2156	7.38		2312	7.59		
13	0221	3.88	28	0322	3.29	13	0314	3.27	28	0428	3.45	13	0357	3.51	28	0512	3.32		
	0845	7.62		0930	8.45		0926	8.67		1030	8.30		1008	8.44		1111	8.30		
WE	1504	3.56	TH	1558	2.60	SA	1600	2.22	SU	1700	2.39	MO	1648	2.16	TU	1735	2.22		
	2109	7.73		2201	8.12		2207	8.18		2309	7.96		2259	7.99		2343	8.15		
14	0319	3.26	29	0409	2.98	14	0411	2.90	29	0511	3.09	14	0501	2.93	29	0545	2.79		
	0930	8.45		1012	8.85		1016	9.16		1111	8.65		1106	9.03		1143	8.82		
TH	1553	2.66	FR	1639	2.16	SU	1651	1.72	MO	1739	2.06	TU	1741	1.61	WE	1805	1.80		
	2156	8.41		2241	8.45		2257	8.56		2345	8.27	●	2348	8.57	○				
15	0404	2.70	30	0447	2.73	15	0501	2.57	30	0548	2.80	15	0553	2.37	30	0010	8.58		
	1009	9.20		1047	9.15		1104	9.55		1147	8.93		1155	9.53		0615	2.37		
FR	1634	1.88	SA	1715	1.85	MO	1740	1.36	TU	1814	1.84	WE	1827	1.21	TH	1212	9.20		
	2236	8.97		2317	8.68	●	2344	8.84	○							1833	1.51		
			31	0523	2.55							31	0035	8.94	31	0100	10.10		
				1121	9.34								FR	1239	9.47		MO	1314	10.00
			○	2350	8.80									1900	1.32			1928	0.91

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
 Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols ● New Moon ◑ First Quarter ○ Full Moon ◐ Last Quarter

YAMPI SOUND (KOOLAN ISLAND) – WESTERN AUSTRALIA

LAT 16° 08' S LONG 123° 44' E

Times and Heights of High and Low Waters

2026

Time Zone -0800

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER																	
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m														
1	0127	10.20	16	0144	10.12	1	0126	10.34	16	0136	9.53	1	0216	9.01	16	0215	8.43												
	0746	0.90		0805	1.05		0749	0.84		0800	1.64		0848	2.31		0842	2.70												
TU	1342	9.81	WE	1400	9.31	TH	1346	9.39	FR	1357	8.62	SU	1452	7.86	MO	1445	7.73	TU	1600	7.98	WE	1522	8.19						
	1953	1.10		2007	1.66		1952	1.65		2000	2.48		2056	3.33		2048	3.60	○	2215	3.46		2132	3.30						
2	0154	10.10	17	0207	9.65	2	0153	9.89	17	0200	8.97	2	0301	8.11	17	0250	7.84	2	0417	7.75	17	0330	7.98						
	0814	1.05		0829	1.56		0818	1.37		0823	2.23		0939	3.18		0920	3.27		1046	3.23		0952	2.92						
WE	1409	9.43	TH	1423	8.70	FR	1415	8.74	SA	1421	8.04	MO	1552	7.14	TU	1530	7.25	WE	1707	7.68	TH	1606	7.93	WE	2333	3.77	○	2223	3.62
	2017	1.46		2028	2.24		2019	2.25		2022	3.06	●	2200	4.14	●	2136	4.16		2333	3.77		2223	3.62						
3	0219	9.80	18	0230	9.02	3	0222	9.22	18	0224	8.30	3	0414	7.17	18	0339	7.17	3	0536	7.22	18	0420	7.46						
	0841	1.42		0852	2.22		0849	2.14		0849	2.93		1103	3.94		1016	3.86		1203	3.62		1041	3.39						
TH	1436	8.87	FR	1446	7.99	SA	1447	7.94	SU	1448	7.36	TU	1743	6.70	WE	1642	6.82	TH	1830	7.60	FR	1701	7.66	FR	2331	3.85		2331	3.85
	2042	1.97		2047	2.93	●	2048	3.04		2047	3.78					2301	4.63												
4	0246	9.30	19	0252	8.25	4	0256	8.31	19	0251	7.51	4	0015	4.56	19	0510	6.59	4	0110	3.71	19	0532	6.99						
	0910	2.00		0916	3.03		0929	3.12		0923	3.75		0636	6.73		1153	4.24		0715	7.08		1149	3.80						
FR	1506	8.13	SA	1510	7.16	SU	1529	6.98	MO	1525	6.59	WE	1325	4.00	TH	1842	6.79	FR	1331	3.70	SA	1818	7.53	FR	1956	7.83	SA	1818	7.53
●	2109	2.67	●	2107	3.76		2128	4.03	●	2119	4.61		2000	7.15															
5	0316	8.57	20	0315	7.35	5	0344	7.20	20	0330	6.61	5	0226	3.88	20	0120	4.48	5	0232	3.27	20	0105	3.79						
	0946	2.84		0946	3.98		1045	4.18		1033	4.60		0834	7.30		0730	6.65		0839	7.35		0715	6.83						
SA	1543	7.19	SU	1539	6.21	MO	1722	6.03	TU	1735	5.86	TH	1451	3.38	FR	1345	4.05	SA	1446	3.50	SU	1320	3.96	SA	1446	3.50	SU	1320	3.96
	2141	3.60		2122	4.71		2340	5.03					2108	8.03		2015	7.36		2100	8.23		1948	7.71						
6	0358	7.57	21	0340	6.33	6	0702	6.39	21	0048	5.35	6	0329	2.91	21	0243	3.72	6	0334	2.72	21	0232	3.33						
	1048	3.88		1122	4.95		1424	4.19		0739	6.07		0933	8.06		0847	7.26		0940	7.77		0844	7.14						
SU	1653	6.09	MO	2227	5.73	TU	2106	6.70	WE	1423	4.53	FR	1543	2.73	SA	1452	3.53	SU	1544	3.19	MO	1444	3.76	SU	1544	3.19	MO	1444	3.76
	2249	4.73					2104	6.60		2104	6.60		2151	8.83		2107	8.11		2150	8.64		2100	8.18						
7	0603	6.50	22	0342	5.27	7	0314	4.18	22	0316	4.46	7	0412	2.09	22	0333	2.84	7	0422	2.21	22	0340	2.66						
	1418	4.27		0918	6.21		0921	7.33		0912	6.90		1015	8.68		0937	7.94		1027	8.17		0949	7.65						
MO	2118	6.21	TU	1554	4.16	WE	1543	3.15	TH	1526	3.70	SA	1623	2.26	SU	1541	2.98	MO	1630	2.90	TU	1549	3.35	MO	1630	2.90	TU	1549	3.35
				2218	6.72		2158	7.91		2142	7.55		2226	9.41		2148	8.84		2232	8.99		2158	8.74						
8	0314	4.59	23	0415	4.23	8	0407	2.94	23	0354	3.45	8	0448	1.51	23	0415	2.03	8	0502	1.83	23	0436	2.01						
	0929	7.13		1007	7.22		1010	8.40		0952	7.80		1049	9.09		1018	8.54		1106	8.49		1044	8.19						
TU	1606	3.18	WE	1625	3.23	TH	1624	2.23	FR	1601	2.92	SU	1657	1.97	MO	1623	2.51	TU	1710	2.65	WE	1645	2.89	TU	1710	2.65	WE	1645	2.89
	2224	7.46		2235	7.66		2230	8.94		2209	8.44		2257	9.79		2226	9.46		2310	9.25		2248	9.29						
31	0140	9.75				31	0140	9.75										31	0352	8.48									
	0809	1.53					0809	1.53											1011	2.45									
	SA	1410					SA	1410											1622	8.61									
		2.59						2.59										●	2245	2.96									

© Copyright Commonwealth of Australia 2025, Bureau of Meteorology
 Datum of Predictions is Lowest Astronomical Tide

Moon Phase Symbols
 ● New Moon
 ○ First Quarter
 ○ Full Moon
 ○ Last Quarter